Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	725/32-36.ccls. and @ay<"2001" and ((match\$3 interrela\$4 correlat\$4) near8 (hierarchical\$1 hierarc\$4))	US-PGPUB; USPAT	OR	OFF	2006/01/05 10:37
L2	2	725/32-36.ccls. and @ay<"2001" and ((match\$3 interrela\$4 correlat\$4) with (hierarchical\$1 hierarc\$4))	US-PGPUB; USPAT	OR	OFF	2006/01/05 11:29
L3	20	"725"/\$.ccls. and @ay<"2001" and ((match\$3 interrela\$4 correlat\$4) with (hierarchical\$1 hierarc\$4))	US-PGPUB; USPAT	OR	OFF	2006/01/05 10:38
L4	10	725/32-36.ccls. and @ay<"2001" and ((user\$1 viewer\$1 subscriber\$1) with (hierarchical\$1 hierarc\$4))	US-PGPUB; USPAT	OR .	OFF	2006/01/05 11:44
L5	9	725/32-36.ccls. and @ay<"2001" and ((user\$1 viewer\$1 subscriber\$1) with (tree\$1))	US-PGPUB; USPAT	OR	OFF	2006/01/05 11:46
L6	1	"725"/\$.ccls. and @ay<"2001" and ((user\$1 viewer\$1 subscriber\$1) with (tree\$1)) with (preference\$4)	US-PGPUB; USPAT	OR	OFF	2006/01/05 13:57
L7	7	"725"/\$.ccls. and @ay<"2001" and ((user\$1 viewer\$1 subscriber\$1) same (tree\$1)) same (preference\$4)	US-PGPUB; USPAT	OR	OFF	2006/01/05 14:58
L10	28	(725/46,34,35,53.ccls. 707/3,4,5, 6.ccls.) and (select\$4 same attribute\$1 same hierarch\$4).clm.	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:37
S1	218	725/34,35,46.ccls. and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2004/05/05 16:38
S2	259	725/34,35,46,53.ccls. and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2004/05/05 16:55
S3	70	725/34,35,46,53.ccls. and @ay<"2001" and (map\$4)	US-PGPUB; USPAT	OR	OFF	2004/05/07 09:11
S4	3	("5878222" "5973683" "6005597").pn.	US-PGPUB; USPAT	OR	OFF	2004/05/05 17:11
S5	46	725/34,35,46,53.ccls. and @ay<"2001" and ((match\$3 interrela\$4 correlat\$4) near8 (profile\$2 preferenc\$3))	US-PGPUB; USPAT	OR	OFF	2004/05/07 11:30
S6	2	725/34,35,46,53.ccls. and @ay<"2001" and ((match\$3 interrela\$4 correlat\$4) near8 (profile\$2 preferenc\$3)) near10 (map\$4)	US-PGPUB; USPAT	OR	OFF	2004/05/06 11:27

S7	3	"725"/\$.ccls. and @ay<"2001" and ((match\$3 interrela\$4 correlat\$4) near8 (profile\$2 preferenc\$3)) near10 (map\$4)	US-PGPUB; USPAT	OR	OFF	2004/05/06 09:22
S8	3	"725"/\$.ccls. and @ay<"2001" and ((match\$3 interrela\$4 correlat\$4) near8 (profile\$2 preferenc\$3)) near10 (map\$4 chart\$4)	US-PGPUB; USPAT	OR	OFF	2004/05/06 09:22
S9	9	725/34,35,46,53.ccls. and @ay<"2001" and ((path\$3) near8 (profile\$2 preferenc\$3))	US-PGPUB; USPAT	OR	OFF	2004/05/06 10:01
S10	29	725/34,35,46,53.ccls. and @ay<"2001" and ((path\$3 address\$3 location\$3) near8 (profile\$2 preferenc\$3))	US-PGPUB; USPAT	OR	OFF	2004/05/06 10:30
S11	34	725/34,35,46,53.ccls. and @ay<"2001" and ((path\$3 address\$3 location\$3) near8 (profile\$2 preferenc\$3 attribute\$2))	US-PGPUB; USPAT	OR	OFF	2004/05/06 10:44
S12	141	"725"/\$.ccls. and @ay<"2001" and ((path\$3 address\$3 location\$3) near8 (profile\$2 preferenc\$3 attribute\$2))	US-PGPUB; USPAT	OR	OFF	2004/05/06 11:20
S13	15	725/45,46.ccls. and @ay<"2001" and ((path\$3 address\$3 location\$3) near8 (profile\$2 preferenc\$3 attribute\$2))	US-PGPUB; USPAT	OR	OFF	2004/05/06 11:20
S14	1	725/45,46.ccls. and @ay<"2001" and ((match\$3 interrela\$4 correlat\$4) near8 (profile\$2 preferenc\$3)) near10 (map\$4)	US-PGPUB; USPAT	OR	OFF	2004/05/06 11:51
S15	36	725/45,46.ccls. and @ay<"2001" and ((match\$3 interrela\$4 correlat\$4) near8 (profile\$2 preferenc\$3))	US-PGPUB; USPAT	OR	OFF	2004/05/06 12:28
S16	1	"5861906".pn.	US-PGPUB; USPAT	OR	OFF	2004/05/06 12:27
S17	163	725/45,46.ccls. and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2004/05/06 12:28
S18	52	725/45,46.ccls. and @ay<"2001" and (map\$4)	US-PGPUB; USPAT	OR	OFF	2004/05/06 12:37
S19	63	725/45,46,53.ccls. and @ay<"2001" and (map\$4)	US-PGPUB; USPAT	OR	OFF	2004/05/06 12:46
S20	19	(Legall Maze ken).in. and "725"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2004/05/06 12:47

					, , , , , , , , , , , , , , , , , , , ,	
S21	27	725/32-36.ccls. and @ay<"2001" and ((match\$3 interrela\$4 correlat\$4) near8 (profile\$2 preferenc\$3))	US-PGPUB; USPAT	OR	OFF	2006/01/05 10:33
S22	10	725/45.ccls. and @ay<"2001" and ((match\$3 interrela\$4 correlat\$4) near8 (profile\$2 preferenc\$3))	US-PGPUB; USPAT	OR	OFF	2004/05/06 16:31
S23	61	725/45.ccls. and @ay<"2001" and categor\$3	US-PGPUB; USPAT	OR	OFF	2004/05/06 16:31
S24	9	725/34,35,46,53.ccls. and @ay<"2001" and (condition\$3 near5 operat\$3)	US-PGPUB; USPAT	OR	OFF	2004/05/06 17:01
S25	411	salce.xa.	US-PGPUB; USPAT	OR	OFF	2004/05/06 16:55
S26	19	salce.xa. and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/05/06 16:55
S27	12	725/34,35,46,53.ccls. and @ay<"2001" and (search\$1 near5 operat\$3)	US-PGPUB; USPAT	OR	OFF	2004/05/06 17:05
S28	28	725/34,35,46,53.ccls. and @ay<"2001" and ((search\$1 logic\$2 boolean\$2) near5 operat\$3)	US-PGPUB; USPAT	OR	OFF	2004/05/06 17:05
S29	93	725/34,35,46,53.ccls. and @ay<"2001" and (service\$ near8 provid\$3)	US-PGPUB; USPAT	OR	OFF	2004/05/07 09:12
S30	88	725/34,35,46,53.ccls. and @ay<"2001" and (service\$ near5 provid\$3)	US-PGPUB; USPAT	OR	OFF	2004/05/07 09:12
S31	10	725/34,35,46,53.ccls. and @ay<"2001" and ((service\$ near5 provid\$3) near5 select\$2)	US-PGPUB; USPAT	OR	OFF	2004/05/07 09:14
S32	128	"725"/\$.ccls. and @ay<"2001" and ((service\$ near5 provid\$3) near5 select\$2)	US-PGPUB; USPAT	OR	OFF	2004/05/07 09:15
S33	1	"725"/\$.ccls. and @ay<"2001" and ((service\$ near5 provid\$3) near5 select\$2 near5 (level\$2 or bandwidth\$2))	US-PGPUB; USPAT	OR	OFF	2004/05/07 09:16
S34	115	"725"/\$.ccls. and @ay<"2001" and ((service\$ near5 provid\$3) near5 (level\$2 or bandwidth\$2))	US-PGPUB; USPAT	OR	OFF	2004/05/07 09:28
S35	73	"725"/\$.ccls. and @ay<"2001" and ((service\$ near5 provid\$3) near8 (bandwidth\$2))	US-PGPUB; USPAT	OR	OFF	2004/05/07 09:40
S36	18	legall.in.	US-PGPUB; USPAT	OR	OFF	2004/05/07 09:40

			,			
S37	1	legall.in. and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/05/07 09:40
S38	0	725/34,35,46,53.ccls. and @ay<"2001" and (string\$1 near5 case\$1 near5 (sensitive\$1 or insensitive\$1))	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:33
S39	78	@ay<"2001" and (string\$1 near5 case\$1 near5 (sensitive\$1 or insensitive\$1))	US-PGPUB; USPAT	OR	OFF	2004/05/07 11:40
S40	0	@ay<"2001" and ((sub near2 string\$1) near5 case\$1 near5 (sensitive\$1 or insensitive\$1))	US-PGPUB; USPAT	OR	OFF	2004/05/07 11:41
S41	8	@ay<"2001" and ((substring\$1) near5 case\$1 near5 (sensitive\$1 or insensitive\$1))	US-PGPUB; USPAT	OR	OFF	2004/05/07 11:47
S42	1	@ay<"2001" and ((substring\$1) near5 case\$1 near5 (sensitive\$1))	US-PGPUB; USPAT	OR	OFF	2004/05/07 11:47
S43	5	725/34,35,46,53.ccls. and @ay<"2001" and (value\$ near5 approximat\$3)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:10
S44	72	"725"/\$.ccls. and @ay<"2001" and (value\$ near5 approximat\$3)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:11
S45	3	"725"/\$.ccls. and @ay<"2001" and ((value\$ near5 approximat\$3) near10 (search\$1 test\$1 compare\$3))	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:12
S46	7	"725"/\$.ccls. and @ay<"2001" and ((value\$ near5 approximat\$3) same (search\$1 test\$1 compare\$3))	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:13
S47	104	@ay<"2001" and ((value\$ near5 approximat\$3) near5 (search\$1 test\$1 compare\$3)) and (video\$1)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:16
S48	658	@ay<"2001" and ((value\$ near5 approximat\$3) near5 (search\$1 test\$1 compare\$3)) and (data\$1)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:16
S49	0	725/34,35,46,53.ccls. and @ay<"2001" and (MAX near10 boolean\$1)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:33
S50	23	@ay<"2001" and (MAX near10 boolean\$1)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:34
S51	0	"725"/\$.ccls. and @ay<"2001" and (MAX near10 boolean\$1)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:34
S52	72	"725"/\$.ccls. and @ay<"2001" and (boolean\$1)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:38
S53	0	"725"/\$.ccls. and @ay<"2001" and (boolean\$1 near10 MAX)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:45

	<u> </u>					
S54	23	@ay<"2001" and (boolean\$1 near10 MAX)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:39
S55	10	@ay<"2001" and (boolean\$1 near10 MAX) and (search\$4)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:44
S56	0	@ay<"2001" and (boolean\$1 near10 CAND) and (search\$4)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:44
S57	0	"725"/\$.ccls. and @ay<"2001" and (boolean\$1 near10 CAND)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:56
S58	1	"725"/\$.ccls. and @ay<"2001" and (CAND)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:47
S59	371	@ay<"2001" and (CAND)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:48
S60	65	@ay<"2001" and (CAND) and (search\$4)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:50
S61	67	@ay<"2001" and (CAND) and (search\$4 quer\$3)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:51
S62	0	"725"/\$.ccls. and @ay<"2001" and (boolean\$1 near10 FREQ)	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:02
S63	0	@ay<"2001" and (boolean\$1 near10 FREQ)	US-PGPUB; USPAT	OR	OFF	2004/05/07 12:57
S64	0	"725"/\$.ccls. and @ay<"2001" and (FREQ same (search\$3 quer\$4))	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:00
S65	17	"725"/\$.ccls. and @ay<"2001" and (FREQ and (search\$3 quer\$4))	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:04
S66	54	@ay<"2001" and (FREQ same (search\$3 quer\$4))	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:00
S67	0	"725"/\$.ccls. and @ay<"2001" and (boolean\$1 near10 RATIO)	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:02
S68	19	@ay<"2001" and (boolean\$1 near10 RATIO)	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:02
S69	244	"725"/\$.ccls. and @ay<"2001" and (ratio and (search\$3 quer\$4))	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:04
S70	23	"725"/\$.ccls. and @ay<"2001" and (ratio same (search\$3 quer\$4))	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:05
S71	0	"725"/\$.ccls. and @ay<"2001" and (SAND same (search\$3 quer\$4))	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:05
S72	191	@ay<"2001" and (SAND same (search\$3 quer\$4))	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:05
S73	0	@ay<"2001" and ((boolean\$1 near10 SAND) same (search\$3 quer\$4))	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:05

S74	5	@ay<"2001" and ((boolean\$1 same SAND))	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:36
S75	0	"725"/\$.ccls. and @ay<"2001" and ((boolean\$1 same fuzzy))	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:37
S76	210	@ay<"2001" and ((boolean\$1 same fuzzy))	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:42
S77	4000	707/3-6.ccls. and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:44
S78	564	707/3-6.ccls. and @ay<"2001" and (normali\$3)	US-PGPUB; USPAT	OR	OFF	2004/05/07 13:56
S79	98	707/3-6.ccls. and @ay<"2001" and (normali\$3 same frequen\$4)	US-PGPUB; USPAT	OR	OFF	2004/05/07 14:09
S80	42	707/3-6.ccls. and @ay<"2001" and (normali\$3 same frequen\$4 and boolean\$1)	US-PGPUB; USPAT	OR	OFF	2004/05/07 14:53
S81	85	707/3-6.ccls. and @ay<"2001" and (match\$3 same frequen\$4 and boolean\$1)	US-PGPUB; USPAT	OR	OFF	2004/05/07 14:55
S82	36	707/3-6.ccls. and @ay<"2001" and (match\$3 same frequen\$4 and boolean\$1 same result\$2)	US-PGPUB; USPAT	OR	OFF	2004/05/07 14:59
S83	126	707/3-6.ccls. and @ay<"2001" and (match\$3 same number\$2 and boolean\$1 same result\$2)	US-PGPUB; USPAT	OR	OFF	2004/05/07 15:02
S84	20	707/3-6.ccls. and @ay<"2001" and (match\$3 same number\$2 same boolean\$1 same result\$2)	US-PGPUB; USPAT	OR	OFF	2004/05/07 15:48
S85	141	707/3-6.ccls. and @ay<"2001" and (search\$2 same common\$2 same (node\$1 tree\$1 director\$3))	US-PGPUB; USPAT	OR	OFF	2004/05/07 16:03
S86	2	707/3-6.ccls. and @ay<"2001" and ("fuzzy and")	US-PGPUB; USPAT	OR	OFF	2004/05/07 16:04
S87	1	"6041323".pn.	US-PGPUB; USPAT	OR	OFF	2004/05/11 13:08
S10 1	8	("5012334" "5822537" "5835087" "5848396" "5977964" "5995094" "6029195" "6298482").pn.	US-PGPUB; USPAT	OR	OFF	2005/06/17 08:17